

AD-A082 562

ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/8 4/2
19702A 6SR5, MISSILE NUMBER 222, ROUND NUMBER 8-58, 19 NOVEMBER--ETC(U)
NOV 79

UNCLASSIFIED


ERADCOM/ASL-DR-109*

NL

1-1
2-1

1

END
DEK
JAN 80
5 80
DTC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

ADA082562

WHITE SANDS MISSILE RANGE, NEW MEXICO

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

THIS DOCUMENT IS UNCLASSIFIED
DATE 07-10-2001 BY 60320
REASON: 1.1.2

FILE COPY

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

30 3 100 020

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government endorsement or approval of commercial products or services referenced herein.

DISCLAIMER NOTICE

**THIS DOCUMENT IS BEST QUALITY
PRACTICABLE. THE COPY FURNISHED
TO DTIC CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.**

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR 1094	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 19702A GSRS, Missile Number 222, Round Number B-58, 19 November 1979.		5. TYPE OF REPORT & PERIOD COVERED
6. AUTHOR(s) White Sands Meteorological Team		6. PERFORMING ORG. REPORT NUMBER
7. PERFORMING ORGANIZATION NAME AND ADDRESS		8. CONTRACT OR GRANT NUMBER(s) 16 DA Task 1F665702D127-02
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Cmd Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 11 1702
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Cmd Adelphi, MD 20783		12. REPORT DATE November 1979
		13. NUMBER OF PAGES 19 12 20
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) 14 ERADCOM ASL-DR-1074		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of the 19802A GSRS, Missile Number 222, Round Number B-58 are presented in tabular form.		

CONTENTS

INTRODUCTION	1
DISCUSSION	1
LAUNCH AREA MAP	2
GENERAL AREA MAP	3

TABLES:

1. Surface Observation taken at 1148 MST at LC-35	4
2. Anemometer-Measured Wind Speed and Direction, LC-33 Fixed Pole, taken at 1148 MST	5
3. Anemometer-Measured Wind Speed and Direction, Tower Levels 1, 2, 3 and 4, taken at 1148 MST	5
4. LC-33 Pilot-Balloon-Measured Wind Data at 1135 MST	6
5. LC-33 Pilot-Balloon Measured Wind Data at 1148 MST	7
6. Nick Site Pilot-Balloon-Measured Wind Data at 1140 MST	8
7. Nick Site Pilot-Balloon-Measured Wind Data at 1148 MST	9
8. SMR Significant Level Data at 1145 MST	10
9. SMR Upper Air Data at 1145 MST	11
10. SMR Mandatory Levels at 1145 MST	15

Accession For	
NTIS	ORNL
DDC TAB	
Unannounced	
Justification	
By	
Distribution	
Availability	
Dist	23

INTRODUCTION

19702A GSRS, Missile Number 222, Round Number B-58, was launched from LC-33, White Sands Missile Range (WSMR), New Mexico, at 1148 MST on 19 Nov 79. The scheduled launch time was 1145 MST.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

(1) Standard surface observations to include pressure, temperature ($^{\circ}\text{C}$), relative humidity, dew point ($^{\circ}\text{C}$), density (gm/m^3), Wind direction and speed, and cloud cover were made at the LC-33 Met Site at T-0 minutes.

(2) Anemometer data were provided from existing pole-mounted and tower-mounted anemometers at LC-33. Monitor of wind speed and direction from one anemometer was also provided in the launch control room.

b. Upper Air

(1) Low level wind data were obtained from RAPTIS T-3 pibal observation at:


SITE AND ALTITUDE

LC-33	2 km
Nick	2 km

(2) Air structure data (rawinsonde) were collected at the following Met Sites. Data were collected from surface to 83,000 feet in 500-foot increments.

SITE AND TIME

1145 MST



1. MET TOWER - 4 Bendix Model T-20 Anemometers at 12 ft, 62 ft, 102 ft, and 202 ft with E/A recorders.
2. POLE ANEMOMETER - Bendix Model T-120 with E/A recorders.
 - (a) Pole #1 - 38.7 ft.
 - (b) Pole #2 - 53.0 ft.
 - (c) Pole #3 - 83.6 ft.
3. RAPTS T-9 Radar Automatic Pilot-Balloon Tracking System T-9 Radar.




TABLE 1. Surface Observations taken at 1148 MST,
19 November 1979, at LC-33, 19702A GSRS,
Missile Number 222, Round Number B-58.

ELEVATION	3977.30	FT/MSL
PRESSURE	877.5	MBS
TEMPERATURE	20.4	°C
RELATIVE HUMIDITY	35	%
DEW POINT	4.4	°C
DENSITY	1041	GM/M ³
WIND SPEED	13	KTS
WIND DIRECTION	150	DEGREES
CLOUD COVER	4	Cu
CLOUD COVER	1	C1

TABLE 2 LC-33 FIXED POLE ANEMOMETER MEASURED WINDS

POLE #1 X485,874.29 Y185,958.90 H4018.74 38.7 ft. AGL			POLE #2 X485,874.93 Y186,012.00 H4033.57 53.0 ft. AGL			POLE #3 X495,877.29 Y186,116.06 H4063.92 83.6 ft. AGL		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	168	18	-30	186	14	-30	183	16
-20	198	16	-20	207	11	-20	194	17
-10	209	18	-10	212	14	-10	197	17
0.0	210	13	0.0	214	14	0.0	196	17
+10	195	17	+10	215	13	+10	189	18

TABLE 3 LC-33 METEOROLOGICAL TOWER ANEMOMETER MEASURED WINDS (202 FT TOWER)

LEVEL #1, 12 FEET X484,982.64, Y185,057.73, H3983.00 (base)			LEVEL #2, 62 FEET X484,982.64, Y185,057.73, H3983.00 (base)		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	178	08	-30	195	09
-20	176	09	-20	180	17
-10	168	10	-10	180	13
0.0	173	07	0.0	179	11
+10	171	11	+10	180	19

LEVEL #3, 102 FEET X484,982.64, Y185,057.73, H3983.00 (base)			LEVEL #4, 202 FEET X484,982, Y185,057.73, H3983.00 (base)		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	182	11	-30	182	19
-20	171	14	-20	175	19
-10	177	14	-10	180	17
0.0	171	16	0.0	183	18
+10	180	16	+10	180	19

PILOT BALLOON MEASURED WIND DATA

TABLE 4

RELEASED FROM LC-33 DATE 19 November 1979 TIME 1135 MST

TRACKER COORDINATES (WSTM) X= 486,037.24 Y= 182,350.16 H= 3977.30

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH

HEIGHTS ARE METERS AGL XX OR FEET AGL .

[illegible][illegible][illegible]

PILOT BALLOON MEASURED WIND DATA

TABLE 5

RELEASED FROM LC-33 DATE 19 November 1979 TIME 1148 MST

TRACKER COORDINATES (WSTM) X= 486,037.24 Y= 182,350.16 H= 3977.30

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH

HEIGHTS ARE METERS AGL XX OR FEET AGL .

[illegible][illegible][illegible]

PILOT BALLOON MEASURED WIND DATA

TABLE 6

RELEASED FROM Nick DATE 19 November 1979 TIME 1140 MST

TRACKER COORDINATES (WSTM) X= 470,734.56 Y= 255,775.64 H= 4126.57

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH

HEIGHTS ARE METERS AGL XX OR FEET AGL .

[illegible][illegible][illegible]

PILOT BALLOON MEASURED WIND DATA

TABLE 7

RELEASED FROM **Nick** DATE **19 November 1979** TIME **1148 MST**

TRACKER COORDINATES (WSTM) X= 470,734.56 Y= 255,775.64 H= 4126.57

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH

HEIGHTS ARE METERS AGL XX OR FEET AGL .

[illegible][illegible][illegible]

GEODETIC COORDINATES
32.48034 LAT DEG
105.42307 LON DEG

SIGNIFICANT LEVEL DATA

3200000377

S M R

TABLE 8

STATION ALTITUDE 3997.30 FEET NSL
10 NOV. 79
1145 HRS NSL

PRECISION NO. 377

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE AIR DEWPOINT DEGREES CENTIGRADE	REL. HUM. PERCENT
877.3	3097.3	36.0
850.0	4886.9	44.0
776.2	7399.4	63.0
700.0	10158.3	96.0
666.2	11458.1	68.0
630.6	12599.5	91.0
611.2	12859.9	71.0
622.4	13224.2	16.0
603.4	13943.9	17.0
561.4	17285.0	22.0
509.0	18013.9	31.0
484.6	19590.6	21.0
411.5	23562.8	31.0
403.0	24244.3	43.0
377.5	25608.5	30.0
345.0	27716.2	22.0
332.4	28575.0	20.0
320.2	29431.5	
300.0	30900.5	
262.2	33902.4	
250.0	34939.3	
235.0	36174.4	
200.0	39609.7	
193.1	40435.6	
150.0	45702.8	
134.5	47922.3	
127.4	49025.5	
104.5	53025.4	
100.0	53934.9	
98.0	54340.8	
88.6	56397.5	
82.4	57871.0	
76.5	59353.7	
70.0	61844.3	
57.0	65353.6	
50.0	68025.6	
46.2	69458.9	
34.0	73931.5	
30.0	78599.0	
24.0	83307.7	

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LONG DEG

UPPER AIR DATA
32500003377
S M R

TABLE 9

STATION ALTITUDE 3997.30 FEET MSL
19 NOV. 79 1145 HRS MST
ASCENSION NO. 377

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES (TN)	SPEED KNOTS	INDEX OF REFRACTION
3997.3	877.3	20.7	36.0	1036.1	669.1	210.0	12.0	1.000269
4000.0	877.2	20.7	36.0	1036.1	669.1	210.0	12.0	1.000269
4500.0	861.8	13.0	40.5	1027.2	660.0	212.4	12.7	1.000266
5000.0	846.5	15.7	44.9	1017.4	663.3	214.6	13.4	1.000263
5500.0	831.3	14.2	48.7	1004.3	661.5	216.6	14.1	1.000260
6000.0	819.3	12.7	52.5	991.5	659.8	218.4	14.8	1.000257
6500.0	801.7	11.2	56.2	978.8	658.1	220.0	15.5	1.000253
7000.0	787.2	8.7	60.0	966.3	656.3	221.8	16.1	1.000250
7500.0	773.9	8.2	64.3	953.9	654.5	223.1	16.6	1.000246
8000.0	759.7	6.7	70.3	941.2	652.8	224.2	16.9	1.000243
8500.0	744.7	5.2	79.2	926.8	651.1	224.4	16.9	1.000240
9000.0	730.9	3.7	82.2	916.5	649.4	224.7	17.0	1.000237
9500.0	717.4	2.2	88.2	904.5	647.6	225.9	17.9	1.000233
10000.0	704.1	.8	94.1	892.6	645.8	227.1	18.8	1.000230
10500.0	691.0	-4	93.9	879.8	644.4	228.0	20.8	1.000224
11000.0	677.9	-1.4	90.8	866.8	643.1	228.6	23.1	1.000219
11500.0	665.1	-2.5	88.1	853.9	641.7	227.7	25.5	1.000213
12000.0	652.5	-3.7	89.5	841.5	640.3	225.7	28.0	1.000209
12500.0	640.0	-4.9	91.0	829.2	638.8	223.7	31.0	1.000205
13000.0	627.8	-4.1	49.8	811.8	639.4	221.1	36.4	1.000193
13500.0	615.3	-3.3	16.4	794.5	640.1	219.3	41.3	1.000181
14000.0	604.1	-3.5	17.1	780.1	639.9	218.2	45.0	1.000178
14500.0	592.4	-4.6	17.8	768.1	638.6	217.3	45.9	1.000175
15000.0	581.0	-5.7	18.6	759.4	637.3	216.6	45.3	1.000172
15500.0	569.7	-6.6	19.3	744.8	636.0	216.7	44.1	1.000170
16000.0	558.7	-7.9	20.1	733.5	634.6	216.4	43.9	1.000167
16500.0	547.9	-9.0	20.8	722.3	633.3	215.7	44.7	1.000164
17000.0	537.4	-10.1	21.6	711.3	632.0	213.7	46.1	1.000162
17500.0	526.9	-11.3	23.3	700.6	630.6	211.7	47.5	1.000159
18000.0	516.5	-12.7	26.2	690.4	628.9	211.4	47.9	1.000157
18500.0	506.3	-14.0	29.2	680.4	627.2	211.1	48.2	1.000155
19000.0	496.3	-15.2	28.6	669.9	625.8	213.2	47.6	1.000152
19500.0	486.4	-16.0	22.2	658.6	624.9	215.5	47.0	1.000149
20000.0	476.5	-17.0	22.0	648.0	623.5	217.6	46.6	1.000146
20500.0	466.8	-18.2	23.3	637.7	622.1	219.6	46.2	1.000144
21000.0	457.3	-19.4	24.5	627.6	620.7	221.6	46.3	1.000142
21500.0	449.0	-20.5	25.6	617.6	619.3	223.5	46.7	1.000139
22000.0	433.9	-21.7	27.1	607.9	617.9	225.5	47.5	1.000137
22500.0	430.0	-22.8	28.3	598.3	616.4	227.6	49.3	1.000135
23000.0	421.2	-24.0	29.5	589.8	615.0	229.6	51.1	1.000133

UPPER AIR DATA
3230060377
S M R

STATION ALTITUDE 3997.20 FEET MSL
19 NOV. 79
1145 MRS MSL
ASCENSION .O. 377

GEODETIC COORDINATES
32.48034 LAT DEG
106.42307 LON DEG

TABLE 9 (cont)

STATION ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION (TN) DEGREES	SPEED KNOTS	INDEX OF REFRACTION
23500.0	412.7	-25.2	30.8	579.5	613.6	230.5	52.4	1.000131
24000.0	408.1	-25.9	38.7	559.3	612.6	231.2	53.7	1.000129
24500.0	395.7	-26.8	40.6	559.4	611.6	231.6	54.4	1.000126
25000.0	387.4	-27.7	35.8	549.9	610.4	231.7	54.7	1.000124
25500.0	379.3	-28.7	31.0	540.5	609.2	232.1	54.9	1.000122
26000.0	371.3	-29.7	28.5	531.2	607.9	232.6	55.0	1.000119
26500.0	363.5	-30.7	26.6	522.1	606.7	233.5	55.1	1.000117
27000.0	355.7	-31.7	24.7	513.2	605.4	234.5	55.1	1.000115
27500.0	348.2	-32.7	22.8	504.4	604.2	234.6	56.1	1.000113
28000.0	340.8	-33.5	21.3	495.4	603.1	234.5	57.1	1.000111
28500.0	333.5	-34.3	20.2	486.3	602.1	235.5	58.4	1.000109
29000.0	326.3	-35.5	10.1**	476.4	600.5	232.7	59.5	1.000107
29500.0	319.2	-36.8		470.6	598.9	232.2	50.3	1.000105
30000.0	312.3	-37.3		462.2	597.7	232.5	61.7	1.000103
30500.0	305.5	-38.7		453.9	596.5	233.1	63.5	1.000101
31000.0	298.8	-39.7		445.0	595.2	234.4	65.5	1.000099
31500.0	292.1	-40.7		437.9	593.9	235.7	67.6	1.000098
32000.0	285.6	-41.8		430.1	592.6	237.1	69.2	1.000096
32500.0	279.3	-42.8		422.4	591.2	238.4	70.7	1.000094
33000.0	273.1	-43.9		414.9	589.9	239.0	72.2	1.000092
33500.0	267.0	-45.0		407.6	588.5	239.5	73.6	1.000091
34000.0	261.0	-46.1		400.5	587.0	239.5	73.3	1.000089
34500.0	255.1	-47.8		394.4	584.8	239.6	73.1	1.000088
35000.0	249.3	-49.3		388.2	582.7	239.3	71.3	1.000086
35500.0	243.5	-50.8		381.6	580.9	238.6	69.2	1.000085
36000.0	237.9	-52.2		375.2	579.1	238.0	67.0	1.000084
36500.0	232.4	-52.8		367.4	578.3	236.7	64.7	1.000082
37000.0	227.0	-52.9		359.0	578.2	235.8	62.5	1.000080
37500.0	221.7	-53.0		350.8	578.1	234.5	60.3	1.000078
38000.0	216.6	-53.1		342.8	578.0	233.7	58.3	1.000076
38500.0	211.5	-53.2		335.0	577.8	233.4	56.3	1.000075
39000.0	206.6	-53.3		327.3	577.7	233.2	54.8	1.000073
39500.0	201.8	-53.4		319.8	577.6	233.0	53.6	1.000071
40000.0	197.1	-53.4		312.0	577.9	232.6	53.0	1.000069
40500.0	192.5	-53.5		304.4	578.3	232.2	52.8	1.000068
41000.0	187.9	-53.6		296.3	577.2	231.8	52.8	1.000066
41500.0	183.5	-53.5		292.3	576.1	231.3	53.1	1.000065
42000.0	179.1	-53.3		286.5	575.0	230.9	53.2	1.000064
42500.0	174.9	-53.1		280.8	573.9	230.5	52.6	1.000063
43000.0	170.8	-53.0		275.2	572.8	230.1	52.0	1.000061

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 3997.30 FEET MSL
28 NOV. 79 1145 HRS MST
ASCENSION NO. 377

UPPER AIR DATA
3250000077
S M R

TABLE 9 (cont)

GEOMETRIC ALTITUDE FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CM ³	SPEED OF SOUND M/SEC	WIND DATA DIRECTION DEGREES (TN)	SPEED KNOTS	INDEX OF REFRACTION
3500.0	166.7	-57.6		269.7	571.7	229.7	50.7	1.000060
4400.0	152.8	-58.7		264.4	570.6	229.2	49.3	1.000059
4450.0	150.9	-59.5		259.1	569.5	228.7	49.5	1.000050
4500.0	150.1	-60.3		254.0	568.3	228.2	50.2	1.000057
4550.0	151.5	-61.2		248.9	567.2	227.8	51.7	1.000055
4600.0	147.8	-61.8		243.6	566.4	227.5	54.1	1.000054
4650.0	144.2	-62.3		238.3	565.8	227.2	56.5	1.000053
4700.0	140.7	-62.7		233.0	565.1	226.7	56.1	1.000052
4750.0	137.3	-63.2		227.9	564.5	226.2	55.7	1.000051
4800.0	134.0	-63.5		222.6	564.1	225.6	53.9	1.000050
4850.0	130.7	-62.5		216.2	563.4	224.6	50.5	1.000049
4900.0	127.0	-61.5		210.9	562.8	223.5	47.3	1.000047
4950.0	124.5	-61.9		205.2	562.2	222.1	44.3	1.000046
5000.0	121.4	-62.3		200.5	561.7	220.7	41.7	1.000045
5050.0	118.5	-62.8		196.2	561.1	219.2	39.4	1.000044
5100.0	115.6	-63.2		191.8	560.5	218.2	38.6	1.000043
5150.0	112.3	-63.6		187.5	560.9	217.4	38.2	1.000042
5200.0	110.0	-64.0		183.3	560.4	216.0	38.9	1.000041
5250.0	107.5	-64.5		179.2	562.8	218.9	39.7	1.000040
5300.0	104.7	-64.9		175.2	562.2	220.9	36.1	1.000039
5350.0	102.2	-65.9		170.1	563.6	223.4	36.3	1.000038
5400.0	99.7	-62.7		165.0	565.2	226.2	34.5	1.000037
5450.0	97.3	-61.7		160.2	566.5	229.4	32.9	1.000036
5500.0	94.3	-62.3		156.5	565.7	231.9	33.0	1.000035
5550.0	92.6	-62.8		152.4	564.9	234.3	33.5	1.000034
5600.0	90.3	-63.5		150.1	564.1	236.5	33.6	1.000033
5650.0	88.2	-63.7		146.7	563.6	238.6	32.9	1.000033
5700.0	85.9	-63.2		142.7	564.5	240.8	32.2	1.000032
5750.0	83.9	-62.5		138.8	565.3	240.7	29.4	1.000031
5800.0	81.0	-62.3		135.3	565.7	240.4	26.4	1.000030
5850.0	79.9	-62.9		132.4	564.9	238.6	23.1	1.000029
5900.0	77.9	-63.5		129.5	564.0	234.5	19.6	1.000029
5950.0	76.4	-63.3		126.6	563.6	229.1	16.4	1.000028
6000.0	74.2	-62.3		123.2	563.3	225.3	14.3	1.000027
6050.0	72.4	-62.8		119.9	565.0	220.2	12.2	1.000027
6100.0	70.6	-62.3		116.7	565.7	219.8	12.1	1.000026
6150.0	68.9	-62.3		113.8	565.3	221.3	12.6	1.000025
6200.0	67.2	-62.6		111.2	565.3	223.1	13.5	1.000025
6250.0	65.5	-62.9		108.7	564.9	225.0	15.0	1.000024
6300.0	64.0	-63.2		106.2	564.5	226.0	16.6	1.000024

STATION ALTITUDE 3997.30 FEET MSL
 18 NOV. 79 1145 HRS MST
 ASCENSION NO. 377

UPPER AIR DATA
 320060377
 S M R

GEODEIC COORDINATES
 32.46034 LAT DEG
 106.42307 LON DEG

TABLE 9 (cont)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GRAMS PER CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES (TN)	SPEED KNOTS	INDEX OF REFRACTION
63500.0	62.5	-63.5		103.8	564.1	228.0	17.1	1.000023
64000.0	59.9	-63.8		101.4	563.7	229.4	17.5	1.000023
64500.0	59.4	-64.1		99.1	563.3	231.2	17.4	1.000022
65000.0	58.0	-64.4		96.8	562.9	233.9	16.5	1.000022
65500.0	56.6	-64.4		94.4	562.9	235.9	15.6	1.000021
66000.0	55.2	-63.5		91.8	564.0	238.5	13.3	1.000020
66500.0	53.9	-62.7		89.2	565.1	240.6	10.9	1.000020
67000.0	52.6	-61.9		86.7	565.2	240.9	8.7	1.000019
67500.0	51.3	-61.1		84.3	567.3	234.7	7.0	1.000019
68000.0	50.1	-60.2		81.9	568.4	224.5	5.4	1.000018
68500.0	48.9	-60.3		79.6	568.1	215.5	5.2	1.000018
69000.0	47.7	-60.3		78.2	567.7	209.8	5.7	1.000017
69500.0	46.5	-61.1		76.5	567.3	205.3	6.2	1.000017
70000.0	45.4	-61.1		74.6	567.4	209.6	6.6	1.000017
70500.0	44.3	-60.9		72.8	567.6	213.4	7.0	1.000016
71000.0	43.3	-60.6		70.9	567.9	217.0	7.5	1.000015
71500.0	42.2	-60.4		69.2	568.2	220.5	8.1	1.000015
72000.0	41.2	-60.2		67.5	568.5	223.6	8.8	1.000015
72500.0	40.2	-60.0		65.8	568.7	225.3	9.3	1.000015
73000.0	39.3	-59.8		64.1	569.0	226.5	9.7	1.000014
73500.0	38.3	-59.6		62.6	569.3	227.5	10.1	1.000014
74000.0	37.4	-59.4		61.0	569.6	227.9	9.9	1.000014
74500.0	36.5	-59.2		59.5	569.8	228.3	9.6	1.000013
75000.0	35.6	-59.0		58.0	570.1	228.6	9.3	1.000013
75500.0	34.8	-58.8		56.6	570.4	233.8	8.6	1.000013
76000.0	34.0	-58.6		55.2	570.7	240.0	7.9	1.000012
76500.0	33.2	-58.0		53.7	571.4	247.0	7.4	1.000012
77000.0	32.4	-57.5		52.3	572.1	253.4	7.5	1.000012
77500.0	31.6	-57.0		51.0	572.8	259.7	7.6	1.000011
78000.0	30.9	-56.4		49.5	573.5	264.6	7.6	1.000011
78500.0	30.1	-55.9		48.3	574.2	266.6	7.3	1.000011
79000.0	29.4	-55.7		47.2	574.4	268.6	7.0	1.000011
79500.0	28.7	-55.6		46.0	574.6	266.6	6.6	1.000010
80000.0	28.1	-55.6		44.9	574.7	264.4	6.0	1.000010
80500.0	27.4	-55.5		43.9	574.6	259.2	5.5	1.000010
81000.0	26.8	-55.3		42.6	574.9			1.000010
81500.0	26.1	-55.3		41.6	575.0			1.000009
82000.0	25.5	-55.2		40.8	575.1			1.000009
82500.0	24.9	-55.1		39.8	575.2			1.000009
83000.0	24.4	-55.1		38.9	575.3			1.000009

STATION ALTITUDE 3997.30 FEET MSL
 19 NOV 79
 ASCENSION NO. 377

MANDATORY LEVELS
 3230060377
 S M R

TABLE 10

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL HUM.		WIND DATA	
MILLIBARS	FEET	AIR DEGREE	DEWPOINT DEGREE	PERCENT	DIRECTION DEGREE	SPEED KNOTS	
850.0	4893.	16.0	5.8	44.	214.1	13.2	
800.0	6559.	11.0	2.7	57.	220.2	15.6	
750.0	8311.	5.8	1.5	74.	224.3	16.9	
700.0	10158.	.3	-.3	96.	227.4	19.3	
650.0	12037.	-3.5	-3.5	90.	225.4	28.4	
600.0	14130.	-3.9	-25.1	17.	217.8	46.2	
550.0	16392.	-9.8	-27.2	21.	215.9	44.6	
500.0	18755.	-14.9	-28.2	31.	212.3	47.8	
450.0	21378.	-20.3	-34.9	25.	223.1	46.6	
400.0	24204.	-26.3	-35.1	43.	231.5	54.3	
350.0	27233.	-32.4	-40.3	23.	234.5	55.8	
300.0	30444.	-39.5	-49.3		234.1	55.1	
250.0	34664.	-49.3	-53.4		239.3	71.7	
200.0	39505.	-53.4	-56.1		232.9	53.2	
175.0	42409.	-56.1	-61.5		230.5	52.6	
150.0	45582.	-61.5	-61.8		227.7	52.6	
125.0	49233.	-61.8	-62.9		222.4	44.9	
100.0	53753.	-62.9	-62.9		225.7	34.9	
80.0	58251.	-62.9	-62.1		239.0	23.5	
70.0	60975.	-64.0	-60.2		220.3	12.3	
60.0	64053.	-60.2	-60.0		230.2	17.7	
50.0	67771.	-60.0	-55.8		224.7	5.4	
40.0	72323.	-55.8	-55.1		225.5	9.3	
30.0	78256.				266.9	7.3	
25.0	82030.						